



MIDAC-TECH

- Replaces the old system with VIEW display and HEAD control unit (obsolete)
- **Standard** system. It is customizable depending on the type of vehicle



Cable Reels (1 or 2)

OPTIONAL **Cable Reels** 32mt with **1 potentiometer**



Transducers (2)

OPTIONAL Pressure Transducers **350bar**

Display



TERA 7 Display



CANVIEW 4 Display



Control Unit

MIDAC+ LMI Control Unit; OPTIONAL MIDAC+ Digit Control Unit



Angular Sensor

OPTIONAL **Analog angular** sensor

3BMust RETROFIT KITS

COMMON-LMI with CAN VIEW 4

- EN 13849 compliant
- · CAN VIEW 4 display 4.3"
- · Standard system. It is **customizable** depending on the type of vehicle

Manual Cable Reel Load Cell Manual Cable Reel 32mt Load Cell **Display** CANVIEW 4 Display **Angle Sensors Control Unit**

CAN BUS

angle sensors

COMMON-LMI with TERA 7

- EN 13849 compliant
- TERA 7 display 7"
- · Standard system. It is **customizable** depending on the type of vehicle



Manual Cable Reel

Manual Cable Reel 32mt



Load Cell

Load Cell



Display

TERA 7 Display



Control Unit

MIDAC+ LMI Control Unit



Angle Sensors

CAN BUS angle sensors

MIDAC+ LMI Control Unit

Customize your retrofit kit with exclusive accessories!

01



ANTI TWOBLOCK/Limit switch with plate

02



Weight for limit switch

03



Microswitch

04



Junction box for midac lmi central unit

05



Three-element signalling light system (green/yellow/red)

06



Flashing Lamp

07



Position Key Switch kit



